



Government of Goa
DIRECTORATE OF SKILL DEVELOPMENT & ENTREPRENEURSHIP
FARMAGUDI GOVERNMENT INDUSTRIAL TRAINING INSTITUTE

Farmagudi-Ponda-Goa, 403401

Ph :- (0832) 2980070

Website: www.itifarmagudi.goa.gov.in

Email: farmagudi-iti.goa@nic.in

Ref. No: 267/FGD/ITI/STR/Fitter Dead Stock/2025/ 1882

Dated: 02/04/2025

To,
Website

Sub :- Inquiry for Fitter Dead Stock material Reg..

Sir,

Quotation is invited in **sealed** envelope from the reputed supplier to supply the enclosed list of items at the lowest rates :-

Sr. No	Items/ Specifications	Qty.	Unit Nos/Kg	Rate per unit	Amount	Remarks.
1	As per Annexure-Fitter Deadstock material attached					
Total amount						

The terms and conditions for the supply shall be as under:-

- The material shall be supplied for destination within 45 days of placing supply order at Farmagudi Government ITI, Farmagudi, Ponda- Goa.
- GST any other levy applicable at the time of supply may be shown **separately** in the quotation, otherwise it will be presumed that the prices offered are inclusive GST.
- The quotations shall be valid for 90 days from the date of the opening of the same.
- The rate quoted shall be **inclusive** of packing & forwarding charges freight paid for destination Farmagudi Industrial Training Institute, Farmagudi, Ponda- Goa.
- The material will be accepted after inspection only if the same confirms with the specification mentioned in the supply order.
- The quotation will be evaluated for all the items together. Therefore, all the items may be quoted.
- The material if not accepted after the inspection shall be collected by the supplier immediately with written assurance to supply the same as per specifications as mentioned in the supply order.
- Farmagudi Industrial Training Institute, Farmagudi, Ponda- Goa, shall not be responsible for security/storing.
- This office reserves the right to accept or reject any of the quotations without assigning any reason thereof.
- The warranty/guarantee shall be furnished with the item as the case may be.
- The extension of time limit will be granted at the discretion of I.T.I. on genuine grounds by the written request of the supplier.
- Part supply of the order shall be furnished as the case may be.
- The quotation should reach to this office on or before 11/04/25 at 2:30 p.m. either by return e-mail, hand delivery or by post and will be opened on same day i.e. on 11/04/25 at 3:30 p.m.

Yours faithfully,

(Akhay A. Shiwaikar)
Principal (Sr. Scale)

Annexure - Fitter Deadstock material

Sr. No	Description	Qty. required	Units	Rate	Amount
1	Pipe bender spool type upto 25 mm with stand manually operated, bench type. With inner former, lever, adjusting screw with lock nut and pipe guide. Made of hardened high quality steel. Confirming to ISO / ISI Standards.	1	No		
2	Machine vice 100mm. For drilling machine double rib, heavy duty, universal type, body made of grey cast iron, jaw plate of tool steel. Confirming to ISO / ISI Standards.(Alpha, Taparia, Apex)	2	Nos.		
3	Sine Bar 125 mm made of stabilised chromium steel with standard accessories. Confirming to ISO / ISI Standards.	1	No.		
4	V block pair with clamps 150 x 100 x 100mm. Confirming to ISO / ISI Standards.	2	Nos.		
5	Drill twist straight shank 3 to 12 mm set. Serially increased by 0.5mm (made from High speed steel), set of 22 pieces. Point angles must be 118°, helix angle may be from 16 to 30° with suitable stand with size markings. Confirming to IS 5101 Standards.(JK, Taparia)	1	Set		
6	Drill twist taper shank 8 to 20 mm set of 20 pieces. Serially increased by 0.5mm (made from High speed steel). Point angles must be 118°, helix angle may be from 16 to 30° with suitable stand with size markings. Confirming to IS 5101 Standards (JK Taparia)	1	Set		
7	Taps and dies complete set in box 3-12 mm set of 7. Along with tap wrench and die stock. Made of good quality tool steel. Confirming to ISO / ISI Standards.	2	Nos.		
8	Box spanner set 6-25 mm set of 8 with tommy. Made of high quality chrome vanadium steel as per ISO standards. Complete set in a suitable contoured steel box.(JK, Taparia, Stanley)	1	No		
9	Scraper flat 15 cm. width 2.5 cms. Made of hardened quality high carbon steel with tempered blade with suitable wooden handle. Confirming to ISO / ISI Standards.	2	Nos.		
10	Scraper triangular 15 cm. Made of hardened quality high carbon steel with tempered blade with suitable wooden handle. Confirming to ISO / ISI Standards.	2	Nos.		
11	Scraper half round 15 cm. Made of hardened quality high carbon steel with tempered blade with suitable wooden handle. Confirming to ISO / ISI Standards.	2	Nos.		
12	Chisel cold 9mmx150mm cross cut & chisel diamond point 9mmx150mm. Made of hardened quality forged alloy steel with tempered cutting edge with hexagonal body. Set of 2 each. Confirming to ISO / ISI Standards.(JK, Taparia)	2	Nos.		
13	Flat Cold Chisel 9 mm x 100mm. Made of hardened quality forged alloy steel with tempered cutting edge with hexagonal body. Confirming to ISO / ISI Standards.(JK, Taparia)	2	Nos.		
14	Round nose chisel 9mm x 100mm. Made of hardened quality forged alloy steel with tempered cutting edge with hexagonal body. Confirming to ISO / ISI Standards.(JK, Taparia)	2	Nos.		

15	Drill Chuck 12 mm along with chuck key, suitable toughened morse taper shank compatible to all standard machines. Confirming to ISO / ISI Standards.	1	No.		
16	Adjustable pipe BSP Tap & Die set to cover pipe size 15, 20, 25, 32, 38 & 50 mm. Made of hardened high speed/ carbon alloy steel.(JK, Taparia)	1	No.		
17	Wheel dresser (One for 4 units) diamond type. Confirming to ISO / ISI Standards.	1	No.		
18	Machine vice 125mm for drilling machine: double rib, heavy duty, universal type, body made of grey cast iron, jaw plate of tool steel. Confirming to ISO / ISI Standards.(Alpha, Taparia, Apex)	1	No.		
19	Carbide wear block 1 mm- 2 mm. Confirming to ISO / ISI Standards.	2	Nos.		
20	Lathe tool bit 8mm X 75 mm..made of HSS/Carbide. Confirming to ISO / ISI Standards.	4	Nos.		
21	Torque wrench (14 to 68 Nm). Complete set including sockets of relevant sizes packed in suitable PVC profied box. Made of good quality High carbon steel/ HSS, readings must be legible. Standard model Confirming to ISO / ISI Standards.(Taparia, Tekton)	1	No.		
22	Power tool for fastening.capacity 10-18mm. Confirming to ISO / ISI Standards.(Bosch, Makita, Hitachi)	1	Set		
23	Different Profile gauges (plate type)Metric standard. Confirming to ISO / ISI Standards.	4	Nos.		
24	Knurling tool (Diamond, straight & Diagonal). Confirming to ISO / ISI Standards.	1	No.		
25	Indexable boring bar with inserts . 1" shank. Confirming to ISO / ISI Standards.	4	Nos.		
26	Dowel pin straight . Dia.-1" length- 4" of stainless steel. Confirming to ISO / ISI Standards.	1	No.		
27	Lapping Plate.Granite/Cast Iron. Dia.- 6". Confirming to ISO / ISI Standards.	2	Nos.		
28	Cast iron Globe Valve (Flanged type).150NB, Class B 150 Flange- ANSI125-B16.1. Confirming to ISO / ISI Standards.	2	Nos.		
29	C.I. Sluice / Gate valve (flanged type).150NB.Class B 150 Flange:ANSI125-B16.1. Confirming to ISO / ISI Standards.	2	Nos.		
30	Stop cock 25NB (2 way, threadedend). Confirming to ISO / ISI Standards.	2	Nos.		
31	Slip-on Forged steel Flange. 150NB, ANSI-B16.5 Class B 150. Confirming to ISO / ISI Standards.	4	Nos.		
32	Pipe threading die with handle . Ratchet type Die head of 1/2", 3/4" & 1". Confirming to ISO / ISI Standards.	2	No.		
34	Pulley (for V-belt or Flat belt).To fit on 50mm dia. Shaft with key slot	1	O ot		
36	V- belt and Flat belt. To fit on pulley	1	No.		
37	Packing gasket. PTFE gasket roll small size	1	No.		
39	Lifting sling,8mm Nominal Dia. Single leg sling. Confirming to ISO / ISI Standards.	2	Nos.		
40	Bearing extractor, Universal gear puller 2 or 3 jaws adjustable. Confirming to ISO / ISI Standards.	1	No.		
41	Pulley extractor, Universal pulley extractor 2 or 3 jaws adjustable. Confirming to ISO / ISI Standards.	1	No.		